



3104

LIGHTWEIGHT COOL-BREEZE COTTON DRILL COVERALL

Lightweight 190 gsm cotton drill with under-arm cotton mesh vents. Plastic press studs.
Large tool pocket on lower leg.



Colours



Sizes

77R - 117R

92S - 132S

Features



DNC garments are tested for UPF (ultraviolet protection factor) in accordance with AS/NZS4399:1996. The level of protection varies depending on the fabric and colour of the garment. 15+ good protection, 30+ / 35+ very good protection, 40+ / 50+ excellent protection



All DNC garments use the Green Dye only, except for the Patrol Saint Flame Retardant range. All DNC garment fabric fully complies with Oeko-Tex standard 100 class II for products with direct contact to the skin in which prohibited to use aromatic amines, sensitizing dyes and cancer risk dyes. Green dye should meet the following conditions: Does not contain harmful or non-aromatic amine; dye itself, non-carcinogenic, sensitization, acute toxicity; the use of formaldehyde and, after extraction of heavy metals in the following limits; non-environmental hormone; nonpersistent organic pollutants; does not produce pollution of the environment harmful chemicals; not produce chemicals that pollute the environment; color fastness and superior to disable the use of dyes.



DNC has an extensive 100% cotton range for a natural feeling garment with anti-static and electrical protection features.



DNC provide entire ranges of lightweight fabrics as an alternate to regular weight garments. Features include quicker drying, breathable and a more comfortable light weight feel.



DNC Cool-Breeze airflow cooling system removes sweat and body heat through innovative under-arm vents, upper back or vertical vents, airflow eyelets between legs.



DNC cotton made garments containing no metal buttons or zippers and are suitable for use in electrical or gas trades.



The latest technology is used in the production of DNC carbon grid anti-static jacket and pants, complies BS5958.2-1991. DNC cotton garments containing no metal buttons or zippers are also classified under DNC anti-static.